HP ProLiant シリーズログ取得

ロ ログ取得準備

1. ブラウザから http://iLOの IP アドレス にてログイン

ロ iLO1 でのログ取得

1.メニューから [Integrated Management Log] を選択します。

System Status	ILO Server Na ILO Na INTEGRATED UCHTS-OUT Current U Remote Console Virtual Devices Administration	me: DL380G4-8 me: kO1 ser: Administrator
Status Summary iLO Status Server	Stat	us Summary
Status	Si	immary Information
iLO Event	Active	Sessions: iLO User:Administrator
Log	Serv	er Name: DL380G4-8
Integrated	Server Powe	er Status: ON
Log	ilo IP	Address: :
Server and	1	O Name: LO1
LO Diagnostics	Latest iLO Event L	og Entry: Browser login: Administrator -
chagnosocs	Latest Integrated Management L	og Entry: POST Error: A Critical Error occurred prior to this power-up
	iLO Firmware	Version: 1.92
		04/24/2008
	iLO	self-test: Passed

2. Integrated Management Log にて Severity から Description の内容を を 選択して、[右クリック] \rightarrow [コピー] もしくは [Ctrl+C] にて情報をコピーします。



3. メモ帳 などの テキストエディタを起動いただき、コピーしたイベントを
 [右クリック] → [貼り付け] か [Ctrl +V] にてペーストし、
 [ファイル] → [名前をつけて保存] にて任意のテキストファイルで保存ください。

ロ iLO2 でのログ取得

1.メニューから [IML] を選択します。



2. Integrated Management Log にて Severity から Description の内容を を 選択して、[右クリック] \rightarrow [コピー] もしくは [Ctrl+C] にて情報をコピーします。

System Status	Remote C	ionsole Virtual N	/ledia Powe	r Management	Admir	nistration	BL c-Class				
	Integra	ated Mana	gement	Log						2	^
Summary											H
System Information										Clear IML	
iLO 2 Log IML	Severity	Class	Last Update	Initial Update	Count	Descripti	on				
Diagnostics	Caution	POST Message	03/05/2013	03/05/2013	1	POST Erro	or: 207-Invalid	Memory Config	guration - Pro	cessor 1,	
iLO 2 User Tips			17:45	17:45		DIMM 1 in Populatior utilized.	correctly inst n Rules in Doc	alled. Please re umentation. Th	fer to Memor is Memory wi	y Il not be	
Insight Agent	Repaired	Network	03/05/2013 02:29	03/05/2013 02:21	20	Network A	Adapter Link D	own (Slot 0, Po	ort 3)		
	Caution	POST Message	03/04/2013 16:18	03/04/2013 16:18	2	POST Erro DIMM 1 in Population utilized.	or: 207-Invalio correctly inst n Rules in Doc	Memory Config alled. Please re umentation. Th	guration - Pro fer to Memor is Memory wi	ocessor 1, y Il not be	
	Caution	POST Message	03/04/2013 15:57	03/04/2013 15:57	1	POST Erro DIMM 1 in Population utilized.	or: 207-Invalio correctly inst n Rules in Doc	Memory Config alled. Please re umentation. Th	guration - Pro fer to Memor is Memory wi	ocessor 1, y Il not be	
	Critical	Network	03/03/2013 23:36	03/03/2013 23:36	1	Network A	Adapter Link D	own (Slot 0, Po	ort 5)		
	Critical	Network	03/03/2013 23:36	03/03/2013 23:36	1	Network A	Adapter Link D	own (Slot 0, Po	ort 5)		
	Critical	Network	03/03/2013 23:36	03/03/2013 23:36	1	Network A	Adapter Link D	own (Slot 0, Po	ort 5)	CO-RC	2
	Critical	Network	03/03/2013 23:36	03/03/2013 23:36	1	Network A	Adapter Link D	own (Slot 0, Po	ort 5)	すべて選択	R(<u>A</u>)
	Critical	Network	03/03/2013 23:36	03/03/2013 23:36	1	Network A	Adapter Link D	own (Slot 0, Po	ort 5)	ロル制型… 印刷プレビ	'ı−(<u>N</u>)
	Critical	Network	03/03/2013 23:36	03/03/2013 23:36	1	Network A	Adapter Link D	own (Slot 0, Po	ort 5)		
	Critical	Network	03/03/2013 23:36	03/03/2013 23:36	1	Network A	Adapter Link D	own (Slot 0, Po	ort 5)		

3. メモ帳 などの テキストエディタを起動いただき、コピーしたイベントを
 [右クリック] → [貼り付け] か [Ctrl +V] にてペーストし、
 [ファイル] → [名前をつけて保存] にて任意のテキストファイルで保存ください。

🌗 無題 - メモ帳	
ファイル(E) 編集(E) 書式(Q) 表	
新規(N) Ctrl+N	ate Initial Update Count Description 🗠
開い(U) Ctrl+O 上書き保存(S) Ctrl+S	/05/2013 17:45 03/05/2013 17:45 1 POST Error: 207-Invalid Memory Configuration - Processor 1,
名前を付けて(保存(為)	13 02:29 03/03/2013 02:21 20 Network Adapter Link Down (Slot 0, Port 3) 14/2013 16:18 03/04/2013 16:18 1 POST Error: 207-Invalid Memory Configuration - Processor 1.
ページ設定(U)	/04/2013 15:57 03/04/2013 15:57 1 POST Error: 207-Invalid Memory Configuration - Processor 1,
印刷(P) Ctrl+P	2013 23:36 03/03/2013 23:36 1 Network Adapter Link Down (Slot 0, Port 5)
メモ帳の終了⊗	2013 23:36 03/03/2013 23:36 Network Adapter Link Down (Slot U, Port 5)
Critical Network 03/03/	2013 23:36 03/03/2013 23:36 Network Adapter Link Down (Slot 0, Port 5)
Critical Network 03/03/	2013 23:36 03/03/2013 23:36 1 Network Adapter Link Down (310t 0, Port 5)
Critical Network 03/03/	2013 23:36 03/03/2013 23:36 1 Network Adapter Link Down (Slot 0, Port 5)
Critical Network 03/03/	2013 23:36 03/03/2013 23:36 1 Network Adapter Link Down (Slot 0, Port 5)
Critical Network 03/03/	2013 23:36 03/03/2013 23:36 1 Network Adapter Link Down (Slot 0, Port 5)
Uritical Network 03/03/	2013 23:36 03/03/2013 23:36 I Network Adapter Link Down (Slot 0, Port 5)
1	

ロ iLO3 でのログ取得

1.メニューから [IInformation] → [Integrated Management Log] を選択します。

iLO Overview							
Information		Status					
Server Name	di580g7	System Health	Øок				
Product Name	ProLiant DL580 G7	Server Power	ON				
UUD Server Serial Number Product ID System ROM	38383835-3735-4753-4830-333858365850 SGH038X6XP 588857-B21	UID Indicator					
		TPM Status	Present/Not Enabled				
	P65 05/23/2011	LO Date/Time	Thu Jun 14 02:44:41 20				
Backup System ROM	03/01/2011						
Integrated Remote Console	.NET Java						
License Type	LO 3 Advanced						
I O Firmware Version	1 26 Aug 26 2011						
	ILO Overview Information Server Name Product Name UUD Server Serial Number Product D System ROM Backup System ROM Integrated Remote Console License Type	Information Server Name dIS80g7 Product Name ProLlant DLS80 G7 UUD 3838383-3735-4753-4830-333858385850 Server Serial Number SGH038X8XP Product ID S88857-821 System ROM P65 05/23/2011 Backup System ROM 03/01/2011 Integrated Remote Console JECT License Type L0 3 Advanced LO 3 Advanced 1150 Advanced	ILCO Overview Information Status Server Name di580g7 System Health Product Name ProLlant DL580 G7 Server Power UUD 3838383-375-4753-4830-333858385850 UD Indicator Server Serial Number SGH038X8XP UD Indicator Product ID 588857-821 TPM Status System ROM P65 05/23/2011 LO DaterTime Backup System ROM 03/01/2011 LO DaterTime Integrated Remote Console JET Java License Type LO S Advanced J 36 dvanced J 36 dvanced				

2. [Integrated Management Log] にて [View CSV] を選択します。

ProLiant DL580 G7	-Out 3					LOCal User: Administrator LO Hostname DL580G7-LO3.			
Expand All	Integrated Management Log								
Information Overview						View CSV			
EO Event Log	Severity	Class	Last A	Initial Update	Count	Description			
Integrated Management Log	<u>A</u>	POST	06/11/2012 07:19	06/11/2012 07:19	1	POST Error: 1785-Drive Array not Configured			
Insight Agent	<u>A</u>	POST Message	06/11/2012 07:19	06/11/2012 07:19	1	POST Error: 1704-Slot X Drive Array - Array Accelerator Super-Cap is charging. The Array Accelerator Cache will be en Super-Cap has been charged. No action is required.			
Remote Console	۸	POST	08/07/2012	06/07/2012	2	POST Error: 1785-Drive Array not Configured			
Power Management		POST	06/07/2012	06/07/2012	1	POST Error: 1787-Slot X Drive Array Operating in Interim Recovery (Degraded) Mode			
Administration	۸	POST	06/04/2012 04:40	06/04/2012 04:40	1	POST Error: 1785-Drive Array not Configured			
		POST	06/04/2012 04:40	06/04/2012 04:40	1	POST Error: 1787-Slot X Drive Array Operating in Interim Recovery (Degraded) Mode			
	Δ.	POST Message	06/04/2012 04:40	06/04/2012 04:40	1	POST Error: 1704-Slot X Drive Array - Array Accelerator Super-Cap is charging. The Array Accelerator Cache will be er Super-Cap has been charged. No action is required.			
	۸	POST Message	06/01/2012 00:47	06/01/2012 00:22	2	POST Error: 1785-Drive Array not Configured			
	۸	POST	06/01/2012 00:47	06/01/2012 00:22	2	POST Error: 1787-Slot X Drive Array Operating in Interim Recovery (Degraded) Mode			
	A	POST	05/31/2012	05/31/2012	1	POST Error: 1787-Slot X Drive Array Operating in Interim Recovery (Degraded) Mode			

3. [View CSV] の画面にて テキストボックスの中の内容を を選択して、 [右クリック] → [コピー] もしくは [Ctrl+C] にて情報をコピーします。



4. メモ帳 などの テキストエディタを起動いただき、コピーしたイベントを
[右クリック] → [貼り付け] か [Ctrl+V] にてペーストし、
[ファイル] → [名前をつけて保存] にて任意のテキストファイルで保存ください。

📕 無間 - メモ帳	
ファイル(E) 編集(E)	書式(Q) 表示(V) ヘルブ(H)
新規(N)	ChieN (","10/25/2011 12:40", "10/25/2011 12:40", "1", "Network Adapters Redundancy Reduced (Slot 0,
開た(U)_ 上まま(早夜(S)	CHING [", "10/25/2011 12:40", "10/25/2011 12:40", "1", "Network Adapters Redundancy Reduced (Slot 0,
名前を付けて保存(色	1. 10/25/2011 12:40, 10/25/2011 12:40, 1, Network Adapters Kedundancy Reduced (Slot 0, """"""""""""""""""""""""""""""""""""
ページ設定しい	k", "10/25/2011 12:40", "10/25/2011 12:40", "1", Network Adapter Link Down (Slot 7, Port 4)"
印刷(P)_	Ctri+P k","10/25/2011 12:40","10/25/2011 12:40","1","Network Adapter Link Down (Slot 7, Port 2)"
メモ帳の終了⊗	"k", "10/25/2011 12:40", "10/25/2011 12:40", "1", "Network Adapter Link Down (Slot 7, Port 1)"
"FOF" "Calible	, Network ", "10/25/2011 12:40", "10/25/2011 12:40", "1", "Network Adapter Link Down (Slot 4, Port 1)" ""Network" "10/25/2011 12:40" "10/25/2011 12:40" "1" "Network Adapter Link Down (Slot 4, Port 1)"
"594" "Caution"	, Network , 10/23/2011 12:40 , 10/23/2011 12:40 , 1 , Network Adapter Link Down (Stot 4, Fort 2) "POST Maccase", "10/25/2011 12:37" "10/25/2011 12:30" "20" "POST Error: 1285-Drive Array pot Config "POST Maccase", "10/25/2011 12:40 , 10/25/2011 12:40 , "
"593", "Caution"	"POST Message", "10/25/2011 12:37", "10/25/2011 12:30", "2", "POST Error: 1784-Drive Array Drive Fail
"592", "Caut ion"	"POST Message", "10/25/2011 11:34", "10/25/2011 11:34", "1", "POST Error: 1785-Drive Array not Config
"591", "Caut ion"	, "POST Message", "10/25/2011 09:29", "10/25/2011 09:29", "1", "POST Error: 1785-Drive Array not Config
590 , Caution	"POST Message", 10/25/2011 08:57", 10/25/2011 08:42", 2", POST Error: 1785-Drive Array not Config "POST Message", "10/24/2011 22:00", "10/24/2011 22:00", "1", "POST Error: 1785-Drive Array not Config
"588", "Caution"	. POST Message , 10/24/2011 22:00 , 10/24/2011 22:00 , 1, POST Error. 1763-Drive Array not Config "POST Message", 10/24/2011 21:26" "10/24/2011 21:26" "1" "POST Error. 1785-Drive Array not Config
"587", "Caut ion"	"POST Message", "10/24/2011 20:51", "10/24/2011 20:21", "2", "POST Error: 1785-Drive Array not Config
"586", "Caut ion"	"POST Message", "10/24/2011 19:53", "10/24/2011 19:24", "3", "POST Error: 1785-Drive Array not Config
"585", "Caution"	, "POST Message", "10/21/2011 15:53", "10/21/2011 15:37", "2", "POST Error: 1785-Drive Array not Config
"502" "Critica	, Network , 10/21/2011 14:54 , 10/21/2011 14:54 , 1 , Network Adapter Link Down (Slot 8, Port 1) ""Network" "10/21/2011 14:54"" 10/21/2011 14:54"" "1" "Network Adapter Link Down (Slot 8, Port 1)
"582", "Caution"	, Network , 10/21/2011 14:54 , 10/21/2011 14:54 , 17, Network Adapter Enric Own (Grot 6, Fort 2)
"581", "Caut ion"	"Network", "10/21/2011 14:54", "10/21/2011 14:54", "1", "Network Adapters Redundancy Reduced (Slot 0,
"580", "Caut ion"	"Network", "10/21/2011 14:54", "10/21/2011 14:54", "1", "Network Adapters Redundancy Reduced (Slot 0,
"579", "Critica	, Network, 10/21/2011 14:54, 10/21/2011 14:54, 17, Network Adapter Link Down (Slot 7, Port 4)
5/8 , Critica	, Network , 10/21/2011 14:54 , 10/21/2011 14:54 , 1 , Network Adapter Link Down (Slot 7, Port 3)" ""Network" "10/21/2011 14:54" "10/21/2011 14:54" "1" "Network Adapter Link Down (Slot 7, Port 3)"
"576" "Critica	, Network , 10/21/2011 14-34 , 10/21/2011 14-34 , 1 , Network Adapter Link Down (Slot 7, Port 2) "."Network"."10/21/2011 14-54"."10/21/2011 14-54"."1"."Network &dapter Link Down (Slot 7, Port 1)"
"575", "Critica	", "Network", "10/21/2011 14:54", "10/21/2011 14:54", "1", "Network Adapter Link Down (Slot 4, Port 1)"